



N.E.W.S. LETTER



The Publication of the North East Weak Signal Group

MAR 2000

VOLUME EIGHT

ISSUE TWO

President: KB1VC Matt Reilly
V P: WA1HOG, Dennis Hennigan

CURRENT OFFICERS

Secretary: N1GJ George Jones
Treasurer: N1DPM Fred Stefanik

NEXT MEETING

THE NEXT MEETING IS ON SATURDAY MARCH 11TH, 1:00 PM AT THE RADISSON HOTEL
ALL ARE WELCOME TO THE DIRECTORS MEETING AT 11:30 AM (NOTE NEW TIME
NEXT MEETING WE'LL HAVE A TECHNICAL PRESENTATION BY A MYSTERY SPEAKER

IN THIS ISSUE

FROM THE VIRTUAL SHACK OF KB1VC	PAGE 2
NEWS GROUP CONSTITUTION ON WEB DE K1MAP & K1UHF	PAGE 2
SEC. REPORT OF NEWS BOARD MEETING 1-8-2000 DE N1GJ	PAGE 2
SEC. REPORT OF NEWS MEETING 1-8-2000 DE N1GJ	PAGE 3
OFFICERS AND BOARD MEMBERS FOR YR. 2000 DE N1GJ	PAGE 3
GRID REGULATOR FOR THE AM-6154/6155 AMP. DE KOXP	PAGE 4,8
EASTERN VHF/UHF CONFERENCE AUG., 2000 DE N2LIV, K1MAP	PAGE 5
F2 PROPAGATION BY PAT, WA5IYX ON WEB DE WZ1V	PAGE 5
NEWS CALENDAR DE WZIV	PAGE 5
VQLOG BY EA6VQ UPDATED DE K1UHF	PAGE 5
TID BIT DE N2LIV	PAGE 5
NORTH TEXAS PCB LOG PERIODIC ANTENNAS DE N2LIV	PAGE 5
JANUARY VHF SWEEPSTAKES SCORES DE KB1VC	PAGE 6,7
THE PHONE RANG! DE K1UHF	PAGE 7
FOR SALE OR SWAP	PAGE 8,9

**DON'T FORGET THE NORTH EAST WEAK SIGNAL GROUP 2 METER VHF AND ABOVE
NET EVERY THURSDAY NIGHT AT 8:30 P.M. LOCAL 144.250
K1UHF OR W1COT NET CONTROL**

MEMBERSHIP in the N.E.W.S. Group is \$10 per year. Apply to Fred Stefanik, N1DPM, 50 Witheridge St., Feeding Hills, MA 01030 (413) 786-7943 You may download an application from our web page <http://uhavax.hartford.edu/~newsvhf>

The N.E.W.S. LETTER is the publication of the North East Weak Signal Group. Articles may be reprinted with proper credit given to the author and the N.E.W.S. LETTER. Articles can be sent to K1UHF, Del Schier, 126 Old West Mountain Road, Ridgefield, CT 06877 either hard copy, IBM compatible disk, via e-mail at K1UHF@amsat.org, or faxed to (203) 299-0232.

FROM THE VIRTUAL SHACK OF KB1VC

Well, I got wiped out in the January contest. How did you do? Water, kinks, or acorns, I don't know what it is, but I've got something in the feedline on both 2m and 432. Once the weather gets a little better I'll climb up and figure out how large a check to write to 'WZG.

The DSP10 is coming along. Interesting design. I think I've got all the components now. Everything was available from somewhere, but some parts required volume purchases. I've become convinced that the right way to build this kit is to get in on one of the group parts purchases. (See the DSP10 mailing list or web page for information -- The web page is <http://www.proaxis.com/~boblar/dsp10.htm> and is a must-read for anyone building the radio.)

Next meeting we'll have a technical presentation. As I write this, I'm not sure who is presenting, but there will be something.

Also note that we'll have a duct-tape auction again. Remember, the rules are pretty simple.

1. Bring two items -- one hunk o' junk, one hunk o' goodstuff.
2. Tape them together.
3. I will auction the two pieces as if they were one.
4. You may donate proceeds to the club or take them for yourself.
5. All unsold items leave with you.

As for technical presentations... When was the last time YOU stood up in front of the meeting? Isn't it about time. How about the guy who sits next to you. Didn't he bring some neat widget that he'd built to one of the meetings. Remember how he showed it around during one of the breaks. Why didn't he just stand up and talk about it? Poke him in the ribs at the next meeting and try to convince him to give a technical presentation.

73 de kb1vc
Linux Rules!
Linux on Alpha Rules Bigtime!

NEWS GROUP CONSTITUTION

The NEWS group constitution is on the web for members to read at: <http://www.qsl.net/k1uhf/NEWS/NEWSCons.pdf>
To read; type in the URL exactly as shown (case sensitive) and read with Adobe Acrobat Reader, free on the web.

Due to the length it could not be in this NEWSletter.

Marc Casey typed it up with all the recent changes and a revision history.

Marc Casey, K1MAP
Del Schier, K1UHF

SECRETARY'S REPORT OF THE NEWS BOARD MEETING 1-8-2000 GEORGE JONES, N1GJ

President Matt Reilly, KB1VC, opened the Board meeting at 11:22 AM. All of the newly elected officers were present.

Meeting dates were discussed for the year 2000 and the following dates were selected:

	1999 Date	2000 Date	Alternate
January	2 Jan	8 Jan	none
March	13 Mar	11 Mar	18 Mar
May	22 May	6 May	22 or 27 May
July	17 Jul	15 Jul	Any other Sat.
August	28 Aug	26 Aug	none
November	6 Nov	4 Nov	18 Nov

All members attending the Board meeting voted in favor of the dates selected.

In order to make the July meeting more enjoyable temperature-wise, a site will be selected that offers some amount of shade. It should preferably be a park in the local (Enfield) area. Tom, WINWE, will research the problem and report back at the next meeting with a list of appropriate sites.

A short discussion followed, on electing officers for the Board for a period of two years rather than the one year currently specified in the By-laws. It will be put up for a vote at the March general meeting, after notifying the general membership in the March NEWS Letter. If approved, the By-laws will be changed accordingly.

By vote of the members present, it was agreed that the meeting time for Board meetings will be changed to 11:30 AM from the current 11:00 AM, starting with the March meeting. Del, K1UHF, will put a note on the subject in the next NEWS Letter.

The meeting was adjourned at 11:44 AM.

**DON'T FORGET THE NORTH EAST WEAK
SIGNAL GROUP 2 METER VHF AND
ABOVE NET EVERY THURSDAY NIGHT AT
8:30 P.M. LOCAL 144.250
K1UHF OR W1COT NET CONTROL**

SECRETARY'S REPORT OF THE NEWS

MEETING 1-8-2000

GEORGE JONES, N1GJ

The general meeting was called to order by President Matt Reilly, KB1VC, at 1:00 PM. Attendees introduced themselves and gave a general description of their plans for operating in the ARRL January 2000 VHF contest.

Bruce, N2LIV, reported that the Northeast VHF/UHF Conference will be held on 25, 26 and 27 August at the Radisson (Hartley) Hotel in Enfield, CT. More information will be coming at a later date. There is a conflict with the ARRL New England Division Convention in Boxboro, MA but it was decided to go ahead with our date anyway. Bruce also asked that papers be submitted. The Conference Committee will accept shorter papers, 30 minutes or so, if they can be fit into the time schedule.

Paul, W1GHZ, reminded the group that they should start thinking about the Millennium Microwave Contest being sponsored by the NEWS Group. Some folks have already started making contacts on 900 MHz and above, that count.

President Reilly reported that the NEWS Group will again enter the club competition in the ARRL January VHF contest. Please send in your results to the League and indicate that your score should also be included under the NEWS Group in the club scores.

A general discussion followed on the new FCC license classes. The FCC NPR should be out this spring. The number of new license classes will be reduced to three-Tech, General and Extra with a maximum code speed of 5 WPM. Be on the lookout for information on Q/A pools and upgrade rules. Dale, AF1T, will look into ways that NEWS Group members can influence new question pools. He'll report back on this issue.

Bert, N2YYU, gave a talk on some VCO's that he has been analyzing. He asked for any inputs that others might have. Bert has been using some computer analysis programs to dig into its' operation at 10 GHz. To get a handle on things he has made up some lower frequency circuit boards that he fabricated. His signal generator works better at 1 GHz.

President Reilly led a discussion on changing the term of office for officers in the club, from one year to two. A notice will be placed in the next issue of the NEWS Letter to let members know the details. A vote will be taken at the March meeting. The discussion will also include the possibility of term limits for the office of president.

Fred, N1DPM, gave a slide presentation on the NCII limited Multiop operation in the last three September ARRL VHF Contests. You had to see the views from their location to believe it. There were some interesting ideas for anyone contemplating a field day type of operation.

The meeting was adjourned at 3:05 PM.

NEWS GROUP OFFICERS AND BOARD

MEMBERS FOR YR. 2000.

GEORGE JONES, N1GJ

PRESIDENT; KB1VC, Matt Reilly
7 Conant Drive
Stow, MA 01775, FN42fk
Home: 978-897-0848
E-mail: reilly@tiac.net

VICE PRES; WA1HOG, Dennis Hennigan
17 Foliage Way
Rindge, NH 03461, FN42as
Home: 603-899-2880 Work: 781-939-4140
E-mail: dennis@top.monad.net

SECRETARY, N1GJ, George Jones
28 Wildwood Road
Stow, MA 01775, FN42fj
Home: 978-562-3137
E-mail: dngjones@juno.com

TREASURER; N1DPM, Fred Stefanik
50 Witheridge Street
Agawam, MA 01030, FN32
Home: 413-786-7943 Work: 413-569-0116
ext 211
E-mail: freddpm@juno.com

EDITOR: K1UHF, Del Schier
126 Old Mountain Road
Ridgefield, CT 06877, FN31fi
Home: 203-431-4233, Work: 203-853-8080
E-mail: K1UHF@amsat.org

MEMBERS of the BOARD

N1MUW: John Denardo, Jr
628 South Hampton Road
Westfield, MA 01085, FN32
Home: 413-572-9072, Work: 413-562-8242
E-mail: jad44o@aol.com

W1TDS: Art Needham
Rt. 9 Box 116
Windsor, MA 02170, FN32lm
Home: 413-684-3792

WA1MBA: Tom Williams
P O Box 28
Shutesbury, MA 01072, FN32sl
Home: 413-259-1921
E-mail: tomw@wa1mba.org

W1GHZ: Paul Wade
44 Center Road
Shirley, MA 01464, FN42
Home: 978-425-2564
E-mail: wade@tiac.net

A STIFF GRID-BIAS SHUNT REGULATOR FOR THE AM-6154/6155 AMPLIFIERS

BY STEVE HARRISON, KOXP


Most tetrodes are easily driven into drawing grid current, causing the control grid bias voltage to be driven further negative, resulting in the tube being driven into less-linear class B and even class C. More-negative grid bias also raises the drive power requirement, making it even easier to draw grid current. The typical adjustable grid bias regulator consists of a zener diode shunted by a potentiometer. The 4X150-series tetrodes typically require a grid bias of between -50 and -80 volts, and the zener voltage most-commonly used is 100 or 105 volts. Thus, there is a differential voltage of 20 to 50 volts between the control grid and the zener diode itself. Most often, a 10K ohm potentiometer is used to adjust the bias voltage, which results in a resistance of between 2000 and 5000 ohms in series with the grid to the zener-regulated source. If the grid current is just 1 milliampere, Ohm's Law shows that the voltage developed between the grid and zener will be between 2 and 5 volts, a barely-acceptable variation. If the grid current is 5 milliamperes, the voltage difference between the grid and zener will rise to between 10 and 50 volts, clearly a very undesirable state of affairs.

Some have replaced the zener/shunt-potentiometer with an adjustable series-pass transistor regulator, which decreases the positive source impedance considerably. However, as with the screen grid, there are times when it is possible for the control grid to SOURCE grid current (negative grid current), driving the bias voltage more

positive toward the cathode potential, resulting in a reduction of cutoff bias, much higher cathode current draw, and in an extreme case, destruction of the tube due to a runaway condition. I have seen this runaway condition occur with several 8930 tubes of unknown vintage when operated at the 400 watt output level on 432 MHz, and the experiences were directly responsible for my decision to utilize a shunt regulator. The circuit presented here was originally developed and installed in a homebrew 4CX300A amplifier some years ago and bears considerable similarity to the shunt regulator circuit recently introduced by G3SEK and G4JZQ, the primary differences being the use of a non-frequency-compensated op amp and a silicon bipolar high voltage transistor as the shunt element instead of a MOSFET. Due to space limitations in this NEWSletter, I have omitted a detailed theory of operation and installation of the regulator within the AM-615x amplifiers. A more-comprehensive description is available from myself upon request.

All component values shown on the schematic are generally non-critical except that the three resistors in series across the output of the shunt regulator should be chosen to limit the sampled output voltage from the potentiometer to no more than the op amp's VCC voltage, which can be anything from a few volts to the maximum rated single-sided operating voltage of the op amp. The 75K/10K pot/4.3K resistor values shown provide an output voltage range of between about -32 and -120 volts. The dropping resistor between the unregulated bias supply output and the shunt transistor should not be smaller than the suggested 1.7K ohms or the current load on the unregulated bias supply will be excessive. The value of this

CONTINUED ON PAGE 8



EASTERN VHF/UHF CONFERENCE AUGUST, 2000

The 26th annual Eastern VHF/UHF Conference will be held on August 25, 26 & 27 in the Radisson Hotel in Enfield, Ct. This is the same location as last year although the hotel was named the Harley Hotel at that time. A Conference Proceedings will once again be published by the ARRL. Speakers and articles are welcome. Please contact Bruce Wood, N2LIV at bdwood@erols.com if interested or any questions. Further info to follow as available. This year we have a conflict with the Boxboro Convention which will be held on our weekend. We have used this same weekend, the 4th weekend in August for 6 years now since 1994.

Bruce N2LIV conference chairperson

The Conference Flea Market will be held Sunday Aug 27 @ 8am for both buyers (\$3) and sellers (\$8) Please contact Mark Casey, K1MAP for info 413-566-2445, map@map.com

Thanks & 73 Mark

Mark Casey, K1MAP, PO 624, Hampden, MA. 01036 FN32sb
100Khz-10Ghz

TREMENDOUS WEB ARTICLE ON F2 PROPAGATION BY PAT, WA5IYX FORWARDED BY RON KLIMAS, WZ1V

From: pjdyer@swbell.net
Date: Wed, 02 Feb 2000 09:43:01 -0600
Subject: December 1974 ham radio magazine article
Reply-to: pjdyer@swbell.net

I've finally finished creating an on-line version of my December 1974 ham radio magazine article that dealt with the VHF effects of Solar Cycle 20 here. Considering how much superior Cycles 21 and 22 turned out, some of it seems almost "quaint" by comparison!

<http://home.swbell.net/pjdyer/hr/hr7412a.htm>

I also soon hope to put on there versions of my 1964-1970 50-MHz Es articles that are cited in this December 1974 one.

73, Pat - WA5IYX

Editor's note: This article was too extensive to publish here.

NEWS CALENDAR BY RON KLIMAS, WZ1V

March 11, 1PM - 4PM - N.E.W.S. Group Meeting
April 22, 0920Z - Lyrids meteor shower
May 4, 2350Z - e-Aquarids meteor shower
May 6, 1PM - 4PM - N.E.W.S. Group Meeting
May 12-13 - Rochester NH Hosstraders Hamfest
May 19-21 - Dayton Hamfest
June 10-12, 1800Z - 0300Z - ARRL June VHF QSO Party
July 15, Noon - 4PM - N.E.W.S. Group Meeting
August 5-6, 1800Z - 1800Z - ARRL UHF Contest
August 12, 0400Z - Perseids meteor shower
August 19-20, 8AM - 8PM - ARRL 10-GHz Cumulative Contest
August 25-27 - Eastern VHF-UHF Conference
September 9-11, 1800Z - 0300Z - ARRL Sept. VHF QSO Party
September 16-17, 8AM-8PM - ARRL 10-GHz Cum. Contest
November 4, 1PM - 4PM - N.E.W.S. Group Meeting
November 17, 0750Z - Leonids meteor shower
December 13, 2140Z - Geminids meteor shower

VLOG DE EA6VQ UPDATED ! BY DEL SCHIER, K1UHF

The last issue I did a review on this software and I am very happy with it. It was missing one feature I wanted. VQLog has been updated to include tracking awards including WAS, one feature I wanted. It really is the best VHF weak signal logging program out there, I have tried them all.

73, Del K1UHF

TID BIT

A member of the NEWS Group received a distinguished award from the North Texas Microwave Society - The Brass Balls Award for requesting over 2000 chip components of 80 different values from their chip bank and only sending \$1 to cover shipping costs. And he wasn't from New York.

From, Bruce, N2LIV

PCB LOG PERIODIC ANTENNAS

Kent Britain, WA5VJB of the North Texas Microwave Society is making up a large number of PCB Log Periodic antennas that work from 900-2600 MHz and a second version from 2.1-6GHz (currently being Beta Tested). These make a quick 3 Band rover antenna, or a test antenna, or a dish feed. If anyone is interested please contact Kent @ wa5vjb@flash.net. They are \$12 each including shipping. If there are a number of NEWS members interested we could make a group purchase to make things easier for Kent in shipping and handling. If interested please contact me.

Bruce N2LIV bdwood@erols.com

JANUARY 2000 VHF SWEEPSTAKES RUMORED SCORES

DE MATT REILLY, KB1VC

CALL	GRID	NEWS	CLS	SCORE	50	144	222	432	903	1.2	2.3	3.4	5	10	24	LHT
AF1T	FN43	Y	S	64954	97/25	130/21	49/14	61/15	14/6	21/6	7/3	1/1	-	5/3	-	-
K0XP	FN42	Y	L	12850	-	109/24	20/10	54/16	-	-	-	-	-	-	-	-
K1DY	FN54	N	S	43442	70/31	112/30	36/18	36/14	8/6	12/8	-	-	-	-	-	-
K1FO	FN31	Y	S	48150	107/28	215/27	-	160/20	-	-	-	-	-	-	-	-
K1GX	FN31	Y	S	140672	115/28	214/32	75/18	100/18	29/11	48/12	9/6	4/2	1/1	-	-	-
K1JT	FN20	N	S	77738	236/43	213/20	83/15	106/16	-	-	-	-	-	-	-	-
K1LPS	FN34	Y	S	15870	31/13	63/25	27/14	29/12	4/3	2/2	-	-	-	-	-	-
K1RZ	FM19	N	S	218946	146/48	231/38	65/24	106/29	35/14	44/16	16/10	-	-	5/3	-	-
K1TEO	FN31	Y	S	465535	358/68	407/51	120/33	170/35	44/17	59/20	16/5	11/5	-	1/1	-	-
K1TR	FN42	N	S	4704	25/8	44/10	13/6	26/8	-	-	-	-	-	-	-	-
K1UHF	FN31	Y	S	35445	91/17	144/34	37/14	24/12	5/3	6/3	1/1	-	-	1/1	-	-
K1WVX	FN31	Y	S	4901	39/12	50/9	10/3	18/3	-	6/2	-	-	-	-	-	-
K2SMN	FN20	N	S	152421	206/44	231/34	79/22	85/22	30/9	49/10	-	-	-	-	-	-
K2TER	ROVER	N	R	108135	107/18	178/20	69/8	114/11	24/4	31/6	18/4	11/4	8/4	3/2	-	3/3
K2UOP	FM09	N	S	52200	77/28	103/33	37/19	44/17	9/7	10/8	4/4	-	-	-	-	-
K3DNE	FM19	N	S	145768	124/34	207/36	70/24	102/25	33/15	38/18	-	-	-	-	-	-
K3LXD	FM19	N	S	13750	53/13	78/14	23/10	35/11	-	7/2	-	-	-	-	-	-
K4RTS	FM08	N	S	19596	31/13	61/17	24/12	30/13	9/6	12/8	-	-	-	-	-	-
K5MA	FN41	N	S	70599	159/34	192/25	67/20	107/22	-	-	-	-	-	-	-	-
K5VH	EM00	N	S	1	1/1	-	-	-	-	-	-	-	-	-	-	-
K6PVJ	CM87	N	L	2236	-	62/6	22/4	33/3	-	-	-	-	-	-	-	-
K8BGZ	FN41	Y	S	1206	43/13	12/3	-	6/2	-	-	-	-	-	-	-	-
K8EB	EN73	N	L	81389	162/56	175/49	35/21	66/25	-	-	-	-	-	-	-	-
K8TQK	EM89	N	S	116982	146/60	143/55	40/28	59/33	10/7	13/8	3/3	-	-	-	-	-
K9KL	EN64	N	S	71632	172/64	118/42	27/16	42/18	-	14/8	-	-	-	-	-	-
K9RQ	EN61	N	S	4635	18/11	53/24	-	16/10	-	-	-	-	-	-	-	-
K9YR	EN52	N	S	16864	67/24	79/20	21/6	42/12	-	-	-	-	-	-	-	-
KA1ZE	FN21	Y	S	147555	86/22	177/32	70/25	77/20	30/10	40/13	18/6	12/5	2/2	-	-	-
KA9WBT	EN62	N	R	11340	33/8	65/12	15/5	30/7	-	16/7	-	-	-	-	-	-
KB0LGB	EN54	N	S	2204	42/27	16/11	-	-	-	-	-	-	-	-	-	-
KB0NES	EN34	N	S	408	-	28/2	12/2	8/2	-	-	-	-	-	-	-	-
KB0QGT	ROVER	N	R	7527	22/5	47/11	32/8	30/7	-	-	-	-	-	-	-	-
KB0VUK	EN34	N	S	25245	42/18	73/35	23/10	38/15	-	15/7	-	-	-	-	-	-
KB1VC	FN42	Y	S	180	15/7	5/2	-	-	-	-	-	-	-	-	-	-
KB2WVG	FN30	N	S	3663	61/22	32/9	-	9/2	-	-	-	-	-	-	-	-
KB8NNE	EN83	N	S	8789	-	159/37	6/5	8/5	-	-	-	-	-	-	-	-
KB8QGT	ROVER	N	R	7527	22/5	47/11	32/8	30/7	-	-	-	-	-	-	-	-
KC6NBI	CM95	N	S	1323	58/17	5/4	-	-	-	-	-	-	-	-	-	-
KC6TEU	CM98	N	S	31289	51/11	152/24	27/9	57/14	-	24/9	-	-	-	-	-	-
KC6WFS	DM04	N	S	2001	43/10	20/5	4/3	8/5	-	-	-	-	-	-	-	-
KC6ZWT	CM98	N	S	13631	-	121/22	31/6	67/15	-	-	-	-	-	-	-	-
KC8CSD	EN81	N	S	7370	36/23	46/14	9/9	17/9	-	-	-	-	-	-	-	-
KE8FD	EM89	N	S	122562	95/45	170/64	45/33	66/36	9/7	16/9	4/4	-	-	-	-	-
KF0GX	FK68	N	Q	1	1/1	-	-	-	-	-	-	-	-	-	-	-
KF2XF	FN30	N	S	2023	-	119/17	-	-	-	-	-	-	-	-	-	-
KF6JS	CM97	N	S	95	-	19/5	-	-	-	-	-	-	-	-	-	-
KF6LT	ROVER	N	R	10296	48/11	76/13	20/6	35/8	-	-	-	-	-	-	-	-
KF9US	ROVER	N	R	18148	34/5	91/15	35/8	55/10	5/3	6/4	-	-	-	-	-	-
KG4BMH	EM76	N	S	3589	-	97/37	-	-	-	-	-	-	-	-	-	-
KU2A	FN42	Y	S	52380	80/27	110/25	41/14	60/15	11/6	18/6	2/2	2/2	-	-	-	-
NOHJZ	EN34	N	S	104550	211/70	148/39	48/14	83/20	-	19/7	-	-	-	-	-	-
N0LL	EM09	N	S	24531	43/30	72/37	21/19	24/21	-	4/4	-	-	-	-	-	-
N0VSB	DM79	N	S	32054	80/34	77/23	24/17	42/14	-	13/6	-	-	-	-	-	-
N1DPM	FN32	Y	S	126060	113/35	134/26	64/18	82/20	32/11	34/12	13/7	6/3	-	-	-	-
N1RWY	FN54	N	S	22796	78/34	84/23	25/12	31/12	-	1/1	-	-	-	-	-	-
N1ZZN	FN42	N	S	2205	40/9	47/8	-	9/4	-	-	-	-	-	-	-	-
N3VBG	FM19	N	S	13740	127/39	102/21	-	-	-	-	-	-	-	-	-	-
N3XJX	FN10	N	S	28730	82/31	90/24	39/16	44/14	-	-	-	-	-	-	-	-
N3ZTZ	FM19	N	S	16640	173/44	81/20	-	1/1	-	-	-	-	-	-	-	-
N5XU	EM10	N	L	9225	44/11	75/14	18/8	35/8	-	-	-	-	-	-	-	-
N6DN%2FR	DM14	N	R	33600	53/9	147/15	52/11	72/9	-	28/8	-	-	-	-	-	-

CALL	GRID	NEWS	CLS	SCORE	50	144	222	432	903	1.2	2.3	3.4	5	10	24	LHT
N6ZE	DM04	N	S	882	17/5	30/6	-	8/3	-	-	-	-	-	-	-	-
N7AU	DN07	N	S	1134	15/8	21/9	7/3	-	-	1/1	-	-	-	-	-	-
N8LMT	EN83	N	S	4	2/2	-	-	-	-	-	-	-	-	-	-	-
NCL1	FN32	Y	S	55209	33/11	190/25	-	247/41	-	-	-	-	-	-	-	-
NG4C	FM16	N	S	31104	137/61	67/21	17/11	25/15	-	-	-	-	-	-	-	-
VE3CWJ	EN96	N	S	1184	12/11	23/20	1/1	-	-	-	-	-	-	-	-	-
VE3TMG	EN82	N	S	13303	86/28	85/18	-	40/7	-	-	-	-	-	-	-	-
WOZQ	EN34	N	S	65856	68/20	142/38	47/20	76/18	13/9	20/7	-	-	-	-	-	-
W1AIM	FN34	Y	S	34440	79/33	125/38	24/13	28/16	1/1	4/4	-	-	-	-	-	-
W1ATT	FN31	Y	S	1904	-	68/12	-	22/5	-	-	-	-	-	-	-	-
W1COT	FN31	Y	S	25086	32/11	119/32	35/14	45/14	-	7/3	-	-	-	-	-	-
W1FN	FN33	N	U	15624	69/16	114/21	22/9	22/8	-	2/2	-	-	-	-	-	-
W1NWE	FN32	Y	S	5264	-	66/13	21/8	22/5	-	9/2	-	-	-	-	-	-
W1PM	FN41	Y	S	49329	99/27	94/16	52/13	57/12	18/9	21/10	-	-	-	-	-	-
W1QK	FN31	Y	L	83600	244/29	310/31	66/16	97/19	-	-	-	-	-	-	-	-
W1VHF	FN41	N	L	47902	304/56	119/18	-	61/11	-	3/1	-	-	-	-	-	-
W2GKR	FN31	Y	S	8580	75/32	81/23	-	-	-	-	-	-	-	-	-	-
W2KV	FN20	N	L	18767	-	383/49	-	-	-	-	-	-	-	-	-	-
W3EME	FM19	N	S	16100	-	350/46	-	-	-	-	-	-	-	-	-	-
W3EP	FN31	Y	S	36855	267/64	138/27	-	-	-	-	-	-	-	-	-	-
W3SE	DM03	N	S	1	1/1	-	-	-	-	-	-	-	-	-	-	-
W6TOI	DM04	N	U	102506	146/20	228/26	71/17	129/21	10/9	30/11	-	-	-	3/3	-	-
W9JN	EN54	N	S	2772	18/10	21/11	8/7	11/8	-	-	-	-	-	-	-	-
WA1HOG	FN42	Y	S	35328	84/19	122/18	22/5	67/15	12/6	20/6	-	-	-	-	-	-
WA2FGK	FN21	N	S	304196	177/51	315/71	74/28	113/30	33/15	39/17	15/9	9/5	-	-	-	-
WA2ONK	FN20	N	S	53270	28/4	161/19	71/16	65/15	35/8	40/8	-	-	-	-	-	-
WA2VUN	FN20	N	S	37762	171/35	151/21	35/11	43/12	-	-	-	-	-	-	-	-
WA2ZFH	FN30	Y	S	20451	25/6	80/15	50/13	50/11	-	24/6	-	-	-	-	-	-
WB2WIH	EL96	N	S	27440	243/46	69/13	10/4	30/7	-	-	-	-	-	-	-	-
WG2E	FN22	N	S	26048	352/74	-	-	-	-	-	-	-	-	-	-	-
WZ1V	FN31	Y	S	165738	139/24	210/39	84/22	120/21	35/12	48/13	9/5	5/2	-	-	-	-

The scores were taken from Matt, KB1VC's web page at: <http://www.tiac.net/users/reilly/janscores.html> . I am not sure about the class of the station. Matt had a category for low power single operator and high power single operator. As far as I could tell H is for high power single op. and S is for low power. To my knowledge the ARRL did not add a new class this year but that is what is indicated on Matt's page. I didn't have time to check this out as I wanted to get the NEWSletter out.

Del, K1UHF

THE PHONE RANG! DEL, K1UHF

I operated the contest until 9:30 PM Saturday when I got the dreaded phone call. The neighbor called up and said I was scaring her. My one neighbor has been complaining about TVI ever since I moved in. I have tried on many occasions to fix the problem with limited success. The fundamental overload problem on 6 and 2 is cured with the filters that I sell but I unfortunately do not have them for 222. I got the audio rectification fixed by unplugging her rotator box. The rotor was broken and doesn't turn, pointing at me, of course.

The real problem is my wife likes the neighbor and she thinks I should stop bothering the neighbor. After a fight with the XYL I pulled the plug in disgust. I really should have kept going and took the phone off the hook but at that point I gave up.

I don't think there is one of us that has not had this problem. The

majority of hams just limit their operation, don't get on certain bands, operate portable or limit the power output. I don't think this is right considering that crappie consumer electronics are usually at fault.

Besides selling filters, one thing to thank my neighbor for, I have started a web page at: <http://www.qsl.net/tvi> . I need help with the data base collection before the web page can be functional. It is just a mock up at this point. Anybody wish to help with the page?

I think that our club should have a TVI/RFI committee, not just for technical assistance but more for diplomatic liaison. I am sure I cannot get anywhere with my neighbor, I have tried.

Next contest I had just better send the wife and kids away for the weekend, take the phone off the hook and turn the lights out. I doubt I will give up as easily as most hams.

73, Del, K1UHF

resistor actually sets the maximum grid current that can be drawn, which can be calculated from the voltage drop across this resistor (which will vary with the output voltage) and the maximum desired DC grid current. A 2.7K to 5K, 10-watt resistor will be satisfactory. The other power dropping resistor to the 24 volt zener is chosen so as to provide sufficient operating current to the op amp in addition to the current through the 24 volt zener. The reference voltage zener value is not critical but if it is raised much higher than the suggested 6.2 volts, the values of the three series resistors across the output of the regulator should be readjusted to provide the desired bias voltage adjustment range. The shunt transistor itself can be nearly any high-voltage ($V_{cbo} > 200$ volts) power silicon bipolar, or even an IRF840 MOSFET transistor such as used in the G3SEK tetrode regulator circuit. If a MOSFET is used, it may be necessary to use a voltage divider network between the output of the op amp and the gate of the MOSFET as shown in G3SEK's schematic. In addition, I found it necessary to connect a 50 pF silver mica capacitor between the + and - inputs of the op amp to prevent high frequency oscillation when driving the MOSFET gate. This capacitor is not needed with the bipolar shunt transistor. Oscillation when driving the bipolar transistor is prevented by the 1 microfarad capacitor across the output of the regulator and the negative feedback resistor across the op amp.

FOR SALE OR SWAP

Ready-To-Install, Flip-Switch AM-6154/6155 Amplifiers

Complete, ready-to-install and plug into your station with brand new Tohtsu TR relays, grid bias shunt regulator, internal T/R switching relay, and metering mods. Professionally-modified and upgraded surplus FAA amplifiers, or custom-modified to your order for 144/222/432 MHz. Guaranteed 500 watts CW output on the 144 or 222 MHz bands and 400 watts on 432 MHz. Typical output with new DX-393 tubes is 550 watts for 144/222 and 450 watts for 432 MHz with 10 watts drive.

Upgrades and modifications include almost all the commonly-known and some custom mods, such as grid and screen current metering, a new TX-RX mode switching relay, internal power supply for external coaxial TR relays, replacement of rear panel Cannon connector with a commonly-available type through which extra NO-NC relay contacts and switched voltages are available for external relay, preamp or other accessories, and more. These modifications represent 24 to 40 hours of labor (depending upon original amplifier condition) and checkout time plus at least \$55 in parts not including the Tohtsu relays.

A limited number of amplifiers is available from stock, or I can custom-modify your own mainframe, RF drawer, or both. From stock, with all the above modifications (and more), the 144 and 222 MHz amplifiers are \$525, and 432 MHz amplifiers are \$575, shipped at your expense (hand delivery, depending upon destination, may be available). Modification of your own amplifier requires a quotation and possible examination. Free one-year technical support and repair labor; parts, excluding tubes and coaxial relays, are warranted for up to 90 days (excluding obvious abuse).

Please note: I do NOT have extra modules, tubes or small parts available at this time.

Contact: Steve Harrison, K0XP via e-mail or snail-mail at: ko0u@os.com or 37 Plainfield Avenue, Shrewsbury Massachusetts; telephone (508) 757-2702 (if phone seems always busy, please try e-mail).

COMING SOON:

- Dual-band 144/222 MHz AM-615x RF drawer modifications! No longer will you have to have separate RF drawers for each band.
- Remote control of your rack-mounted AM-615x amplifiers from your operating position including AC power.

RIGblaster rig to sound card interface

The RIGblaster connects your radio to your computer's sound card. It is the easy and modern way to get on the air with PSK31, CW, Contest Voice Keying, HSCW meteor scatter, and other new modes.

Go to <http://www.westmountainradio.com> for more info! There will be a special discount to NEWS group members!

Please contact Del, K1UHF with any suggestions comments or questions. K1UHF@westmountainradio.com

West Mountain Radio

18 Sheehan Avenue, Norwalk, CT 06854 Tel: 203 853 8080 Fax: 203 299 0232

FOR SALE OR SWAP

2200 volt Power Supply @ 1.2 amps continuous operation, 220V input. Used for a pair of 3CX800A's on 432 MHz. Based on handbook except with Silicon Alley diodes, Potter -Brumfield circuit breaker, heavy duty construction, 1" tube sections for chassis framework. \$450 pickup or delivery to NEWS meeting.

0-2500V Power supply @ 0.5 amp with 6v filament supply, plate metering, 19" rack panel x 10.5". Used for a pair of 4CX250B's. \$250 pickup or delivery to NEWS meeting.

Variacs: 240V input, 0-264V output @0.5A \$10.00, 120V input, 0-140V output @ 15A \$30.00, 120V input, 0-140V output @ 10A \$25.00, 120V input, 0-120V output @ 20A \$35.00 (new in box).

(2) Down East Microwave WSS1152 Signal Source, completes @70.00 each.

ICOM IC-275H, 2M all mode, High Stability Oscillator, HM-12 mike, PS-55 Power Supply, instruction & technical manuals, \$1000.00.

FILTER CAPS: (8) 1600uf @450VDC \$7 each, (4) 240mfd @450VDC w/bleeders \$4 each, (4) 325mfd @400VDC w/bleeders \$4 each, (4) 80 & 10 mfd @ 450VDC \$2 each, (3) 80 & 10 mfc @ 450VDC \$2 each

(4) Cushcraft 32-19 antennas w/K1FO mods, \$65 each or 4 for \$250 w/4 way power divider. Pickup or deliver to NEWS meeting.

28-432-10368 MHz transverter kit. Includes 28-432 DEM transverter, Frequency West LO w/crystal, mixer, splitter, Qualcomm LNA and 1 watt amp. Includes chassis & weatherproof box with carrying handle all predrilled needs- minor assembly and DC switching control and SMA antenna relay required. Have used identical rig in several contests and have no need for this know. Building new 5 watt rig. \$500 plus shipping.

SMA relays, 28V coil SPDT and some latching. \$35 each plus shipping.

Bruce Wood N2LIV, bdwood@erols.com, (516) 265-1015.

ULTIMATE TVI FILTERS FOR WEAK SIGNAL OPERATORS BACK IN STOCK!

Commercial CATV quality 75 ohm traps tuned to 50.125 and 144.200. These filters are weatherproof and temperature compensated with attenuation at the tuned frequency of >100 dB. Loss across the entire VHF and UHF television spectrum is typically under .5 dB. They have a male F connector on one end and a female on the other. They will solve your fundamental overload problems on the band frequency they are tuned for. They are \$15.50 each plus \$5.00 shipping and handling per order. I will bring them to the meeting so you can save the shipping.

Del Schier, K1UHF, 126 Old West Mountain Road, Ridgefield, CT 06877, (203) 431-423 or K1UHF@amsat.org

DOWN EAST MICROWAVE

MANUFACTURERS AND DISTRIBUTORS OF VHF/UHF/SHF EQUIPMENT AND PARTS 50 TO 10,368 MHZ

MICROWAVE LOOP YAGIS, VHF/UHF YAGIS, NO-TUNE LINEAR TRANSVERTERS, LINEAR POWER AMPLIFIERS, LOW NOISE PREAMPS, COAX RELAYS, COAX CABLE, CONNECTORS, CRYSTALS, CHIP COMPONENTS, MMIC'S, TRANSISTORS, RF MODULES



STEVE KOSTRO, N2CEI, 954 RT. 519, FRENCHTOWN, NJ. 08825 PHONE: 908-996-3584, FAX: 908-996-3702

WEB PAGE: [HTTP://WWW.DOWNEASTMICROWAVE.COM/](http://www.downeastmicrowave.com/)

DIRECTIVE SYSTEMS

ANTENNAS AND ACCESSORIES

NOW FEATURING THE K1FO 17' BOOM YAGIS FOR 144, 222, & 432 MHz!

DAVE OLEAN, K1WHS, RR1, BOX 282, LEBANON, ME. 04027,

PHONE: 207-658-7758 [HTTP://WWW.DIRECTIVESYSTEMS.COM](http://www.directive-systems.com)

PAGE 9



**NEXT N.E.W.S. GROUP MEETING
SATURDAY MAR 11TH 1:00 PM AT THE RADISSON HOTEL
ALL ARE WELCOME TO THE DIRECTORS MEETING AT 11:30 AM
LUNCH BUFFET - AT NOON IN THE HOTEL RESTAURANT.**

**NEXT MEETING WE'LL HAVE A TECHNICAL PRESENTATION
BY A MYSTERY SPEAKER**

**DON'T FORGET YOU NEED TO ATTEND MEETINGS
FOR THE CLUB ARRL COMPETITION!!**

**Radisson Hotel of Enfield, CT (FN31qx) (15 miles north of Hartford, I-91 to exit
49, if Southbound left off exit - 1st right / if Northbound right off exit - 1st right).**

North East Weak Signal Group



c/o N1DPM
Fred Stefanik
50 Witheridge St.
Feeding Hills, MA 01030

**CHECK YOUR MEMBERSHIP EXPIRATION DATE
ON THE MAILING LABEL!!**

FIRST CLASS MAIL

PAGE 10